



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| | | | | |
|----------------------------|-------------|----------------------|---------------------|------------------|
| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
| 10/787,227 | 02/27/2004 | Bach H. Le | 049051-0221 | 4842 |
| 31824 | 7590 | 04/16/2009 | | |
| MCDERMOTT WILL & EMERY LLP | | | EXAMINER | |
| 18191 VON KARMAN AVE. | | | BELANI, KISHIIN G | |
| SUITE 500 | | | ART UNIT | PAPER NUMBER |
| IRVINE, CA 92612-7108 | | | 2443 | |
| | | MAIL DATE | DELIVERY MODE | |
| | | 04/16/2009 | PAPER | |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| | | |
|------------------------------|--------------------------------------|----------------------------------|
| Office Action Summary | Application No. 10/787,227 | Applicant(s) LE ET AL. |
| | Examiner KISHIN G. BELANI | Art Unit 2443 |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED. (35 U.S.C. § 133).

Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) Responsive to communication(s) filed on 05 December 2008.
 2a) This action is FINAL. 2b) This action is non-final.
 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) Claim(s) 66-68 and 70-85 is/are pending in the application.
 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
 5) Claim(s) _____ is/are allowed.
 6) Claim(s) 66-68 and 70-85 is/are rejected.
 7) Claim(s) _____ is/are objected to.
 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) The specification is objected to by the Examiner.
 10) The drawing(s) filed on 08 April 2004 is/are: a) accepted or b) objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

| | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date: _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/06) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date: _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

This action is in response to Applicant's amendment filed on 12/05/2008.

Independent claims 66, 84 and 85 have been amended. Dependent claims 67, 68 and 70-83 have also been amended. **Claim 69 has been cancelled.** **Claims 66-68 and 70-85 are now pending** in the present application. **This Action is made FINAL.**

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 66, 70, 80, 82, 84 and 85 are rejected under 35 U.S.C. 102(b) as being anticipated by **Walker et al. (U.S. Patent Publication # 6,244,957 B1).**

Consider **claim 66**, Walker et al. show and disclose a computing device for communicating with a remotely located computing device (Fig. 1 that shows a slot machine 2 (a computing device) that communicates via slot network 3 with a slot network server 4 (a remotely located computing device); column 3, line 60 through column 4, line 18 describe the system shown in Fig. 1; Fig. 2 and column 4, lines 19-29 describe the details of the slot machine 2; Fig. 3 and column 5, lines 21-28 disclose the details of the slot network server 4), the computing device comprising:

a computer-readable medium or media encoded with instructions (claims 44-45) to allow the computing device to perform the following tasks: transmitting, from the computing device to the remotely located computing device, a lock session signal for locking a secure communications session upon an occurrence of a predetermined event, the lock session signal configured to restrict access to the communications session until the computing device receives an unlock session signal from the remotely located computing device (Fig. 8A, steps 510-550 wherein in step 510 a remote player inserts the player tracking card 312 into the card reader 310 (see Fig. 2); the player identity information is transmitted by the slot machine to the slot server 4, which authenticates the information and creates a secure session with the player; furthermore, in step 550, the remote player is prompted to enter the player parameter selections; column 8, lines 10-33 disclose that the player parameter selections include both play options and limiting criteria of play, wherein the limiting criteria include: (slot machine) lock start time, lock end time, etc., the lock start time corresponding to a lock session signal for locking a secure communications session upon an occurrence of a predetermined event (lock start time), the lock session signal configured to restrict access to the communications session until the computing device receives an unlock session signal from the remotely located computing device; column 9, lines 1-6 disclose the same details, further disclosing that the locking data is a signal that prevents the slot machine 2 from providing access to other players unless automated play is terminated by the player who initiated it); prompting a user at the computing device for identification information associated with

Art Unit: 2443

the secure communications session (Fig. 9, steps 710-720 that show requiring the player to return to the slot machine 2 and provide identification information associated with the secure communications session; column 12, lines 14-17 describe the same details);

transmitting, from the computing device to the remotely located computing device, the identification information (Fig. 9, step 730 and column 12, lines 17-20 disclose the same details); and

receiving, at the computing device from the remotely located computing device, the unlock session signal if the identification information is authenticated (Fig. 9, steps 740 and 760-770; column 12, lines 21-39 describe the same details).

Consider **claim 70**, and as it applies to claim 66 above, Walker et al. show and disclose the claimed computing device, including wherein the predetermined event is a lapse in a predetermined amount of time (column 8, lines 22-33 which describe limiting criteria of play as any information that may define the beginning or end of an automated play session; further disclosing that lock start time is the elapse time, from the beginning of the session, used to lock the remote automated play session for a player who initiated the session, so that no other player may be allowed to use the same slot machine).

Consider **claim 80**, and as it applies to claim 66 above, Walker et al. further disclose the claimed computing device, wherein the identification information is not a

shared screen saver password (Figs. 2 and 9; column 12, lines 14-20 which disclose a player tracking card 312 that provides the player identification information for authentication by the slot network server 4, thereby disclosing that the identification information is not a shared screen saver password).

Consider **claim 82**, and as it applies to **claim 66 above**, Walker et al. further disclose the claimed computing device, wherein transmitting the lock session signal for the secure communications session allows the remotely located computing device to lock the session (Fig. 1 that shows a slot machine 2 (a computing device) that communicates via slot network 3 with a slot network server 4 (a remotely located computing device); column 3, line 60 through column 4, line 18 describe the system shown in Fig. 1; Fig. 2 and column 4, lines 19-29 describe the details of the slot machine 2; Fig. 3 and column 5, lines 21-28 disclose the details of the slot network server 4; column 8, lines 10-33 disclose that the player parameter selections include both play options and limiting criteria of play, wherein the limiting criteria include: (slot machine) lock start time, lock end time, etc., the lock start time corresponding to a lock session signal for locking a secure communications session upon an occurrence of a predetermined event (lock start time), the lock session signal configured to restrict access to the communications session until the computing device receives an unlock session signal from the remotely located computing device; column 9, lines 1-6 disclose the same details, further disclosing that the locking data is a signal that prevents the slot

machine 2 from providing access to other players unless automated play is terminated by the player who initiated it).

Consider **claim 84**, Walker et al. show and disclose a computer-readable medium or media encoded with instructions for facilitating management of a secure communications session (claims 44-45; Fig. 1 that shows a slot machine 2 (a computing device) that communicates via slot network 3 with a slot network server 4 (a remotely located computing device); column 3, line 60 through column 4, line 18 describe the system shown in Fig. 1; Fig. 2 and column 4, lines 19-29 describe the details of the slot machine 2; Fig. 3 and column 5, lines 21-28 disclose the details of the slot network server 4), the instructions comprising code for: transmitting, from the computing device to the remotely located computing device, a lock session signal for locking a communications session upon an occurrence of a predetermined event, the lock session signal configured to restrict access to the communications session until the computing device receives an unlock session signal from the remotely located computing device (Fig. 8A, steps 510-550 wherein in step 510 a remote player inserts the player tracking card 312 into the card reader 310 (see Fig. 2); the player identity information is transmitted by the slot machine to the slot server 4, which authenticates the information and creates a secure session with the player; furthermore, in step 550, the remote player is prompted to enter the player parameter selections; column 8, lines 10-33 disclose that the player parameter selections include both play options and limiting criteria of play, wherein the limiting criteria include: (slot

machine) lock start time, lock end time, etc., the lock start time corresponding to a lock session signal for locking a secure communications session upon an occurrence of a predetermined event (lock start time), the lock session signal configured to restrict access to the communications session until the computing device receives an unlock session signal from the remotely located computing device; column 9, lines 1-6 disclose the same details, further disclosing that the locking data is a signal that prevents the slot machine 2 from providing access to other players unless automated play is terminated by the player who initiated it);

prompting a user at the computing device for identification information associated with the communications session (Fig. 9, steps 710-720 that show requiring the player to return to the slot machine 2 and provide identification information associated with the secure communications session; column 12, lines 14-17 describe the same details); transmitting, from the computing device to the remotely located computing device, the identification information (Fig. 9, step 730 and column 12, lines 17-20 disclose the same details); and

receiving, at the computing device from the remotely located computing device, the unlock session signal if the identification information is authenticated (Fig. 9, steps 740 and 760-770; column 12, lines 21-39 describe the same details).

Consider **claim 85**, Walker et al. show and disclose a method for facilitating management of a secure communications session from a remote computing device (Fig. 1 that shows a method for facilitating management of a secure communications

session from a remote computing device, wherein a slot machine 2 (a computing device) communicates via slot network 3 with a slot network server 4 (a remotely located computing device); column 3, line 60 through column 4, line 18 describe the method of communication shown in Fig. 1; Fig. 2 and column 4, lines 19-29 describe the details of the slot machine 2; Fig. 3 and column 5, lines 21-28 disclose the details of the slot network server 4), comprising the steps of:

transmitting, from the computing device to the remotely located computing device, a lock session signal for locking a secure communications session upon an occurrence of a predetermined event, the lock session signal configured to restrict access to the communications session until the computing device receives an unlock session signal from the remotely located computing device (Fig. 8A, steps 510-550 wherein in step 510 a remote player inserts the player tracking card 312 into the card reader 310 (see Fig. 2); the player identity information is transmitted by the slot machine to the slot server 4, which authenticates the information and creates a secure session with the player; furthermore, in step 550, the remote player is prompted to enter the player parameter selections; column 8, lines 10-33 disclose that the player parameter selections include both play options and limiting criteria of play, wherein the limiting criteria include: (slot machine) lock start time, lock end time, etc., the lock start time corresponding to a lock session signal for locking a secure communications session upon an occurrence of a predetermined event (lock start time), the lock session signal configured to restrict access to the communications session until the computing device receives an unlock session signal from the remotely located computing device; column 9, lines 1-6 disclose

the same details, further disclosing that the locking data is a signal that prevents the slot machine 2 from providing access to other players unless automated play is terminated by the player who initiated it);

prompting a user at the computing device for identification information associated with the communications session (Fig. 9, steps 710-720 that show requiring the player to return to the slot machine 2 and provide identification information associated with the secure communications session; column 12, lines 14-17 describe the same details); transmitting, from the computing device to the remotely located computing device, the identification information (Fig. 9, step 730 and column 12, lines 17-20 disclose the same details); and

receiving, at the computing device from the remotely located computing device, the unlock session signal if the identification information is authenticated (Fig. 9, steps 740 and 760-770; column 12, lines 21-39 describe the same details).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

Art Unit: 2443

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 67, 68, 72-74, 77-79 and 81 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Walker et al. (U.S. Patent Publication # 6,244,957 B1)** in view of **Shoemaker et al. (U.S. Patent Application Publication # 2005/0080915 A1)**.

Consider **claim 67**, and as it applies to **claim 66 above**, Walker et al. show and disclose the claimed computing device, except wherein the computing device is configured to facilitate communication of the secure communications session using a first communication channel and is configured to facilitate communication of the lock session signal, the unlock session signal, and the identification information using a second communication channel.

In the same field of endeavor, Shoemaker et al. disclose the claimed computing device, wherein the computing device is configured to facilitate communication of the secure communications session using a first communication channel and is configured to facilitate communication of the lock session signal, the unlock session signal, and the identification information using a second communication channel (Fig. 1B that shows different channels being used for user interface (UI channel 210) and media (channel 208) transmission; paragraph 0087 discloses the same details).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to configure the computing device to facilitate communication of the secure communications session using a first communication channel and to facilitate communication of the lock session signal, the unlock session signal, and the identification information using a second communication channel, as taught by Shoemaker et al., in the computing device of Walker et al., so that separate virtual channels may be provided for carrying serial device communication and presentation data from the server, as well as encrypted client mouse and keyboard data.

Consider **claim 68**, and as it applies to **claim 67 above**, Walker et al., as modified by Shoemaker et al., further show and disclose the claimed computing device, wherein the second communication channel is a Citrix® Independent Computing Architecture TM (ICA) Virtual Channel (in Shoemaker et al. reference, paragraph 0086

which discloses that the second communication channel can be a Citrix® Independent Computing Architecture TM (ICA) Virtual Channel).

Consider **claim 72**, and **as it applies to claim 66 above**, Walker et al., as modified by Shoemaker et al., further show and disclose the claimed computing device, wherein the computing device is a personal computer (in Shoemaker et al. reference, paragraphs 0054 and 0085 which disclose that the computing device can be a personal computer).

Consider **claim 73**, and **as it applies to claim 66 above**, Walker et al., as modified by Shoemaker et al., further show and disclose the claimed computing device, wherein the computing device is an automated teller machine (ATM) (in Shoemaker et al. reference, paragraph 0054 which discloses that the computing device can be an Automated Teller Machine).

Consider **claim 74**, and **as it applies to claim 66 above**, Walker et al., as modified by Shoemaker et al., further show and disclose the claimed computing device, wherein the computing device is an industrial controller (in Shoemaker et al. reference, paragraph 0054 which discloses that the computing device can be an environment control element (industrial controller)).

Consider **claim 77**, and **as it applies to claim 66 above**, Walker et al., as modified by Shoemaker et al., further show and disclose the claimed computing device, wherein the computing device is a thin client (in Shoemaker et al. reference, paragraphs 0003, 0082, 0084 and 0085 which disclose that the computing device can be a thin client).

Consider **claim 78**, and **as it applies to claim 66 above**, Walker et al., as modified by Shoemaker et al., further show and disclose the claimed computing device, wherein the computing device is a personal digital assistant (PDA) (in Shoemaker et al. reference, paragraph 0019 which disclose that the computing device can be a personal digital assistant (PDA)).

Consider **claim 79**, and **as it applies to claim 66 above**, Walker et al., as modified by Shoemaker et al., further show and disclose the claimed computing device, wherein the computing device is a cellular telephone (in Shoemaker et al. reference, paragraph 0019 which disclose that the computing device can be a cellular telephone).

Consider **claim 81**, and **as it applies to claim 66 above**, Walker et al., as modified by Shoemaker et al., further show and disclose the claimed computing device, wherein the computing device is configured to allow a session management operation to be triggered locally using an application at the computing device, but executed at the remotely located computing device (in Shoemaker et al. reference, paragraph 0088

Art Unit: 2443

which disclose that a virtual channel application has two parts, a client-side component and a server-side component; further disclosing that the server-side component is an executable program running on the terminal server, and the client-side component is a DLL loaded into memory on the client computer when the terminal services client program runs).

Claims 71 and 76 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Walker et al. (U.S. Patent Publication # 6,244,957 B1)** in view of **Hughes (U.S. Patent Publication # 6,854,009 B1)**.

Consider **claim 71**, and as it applies to **claim 66 above**, Walker et al. show and disclose the claimed computing device, except wherein the predetermined event is an activation of a screen saver.

In the same field of endeavor, Hughes discloses the claimed computing device, wherein the predetermined event is an activation of a screen saver (column 27, lines 37-53 disclose the same details).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to activate a screen saver at the predetermined event, as taught by Hughes, in the computing device of Walker et al., so as to maintain the security during the period, the user of the computing device is away from the remote session.

Consider **claim 76**, and as it applies to claim 66 above, Walker et al., as modified by Hughes, further show and disclose the claimed computing device, wherein the computing device is an internet protocol (IP) telephone (in Hughes reference, Fig. 5, column 6, lines 55-62 and column 11, lines 30-39 that disclose the details of the claimed IP telephone).

Claim 75 is rejected under 35 U.S.C. 103(a) as being unpatentable over **Walker et al. (U.S. Patent Publication # 6,244,957 B1)** in view of **Hsu et al. (U.S. Patent Publication # 6,876,644 B1)**.

Consider **claim 75**, and as it applies to claim 66 above, Walker et al. show and disclose the claimed computing device, except wherein the computing device is a gateway.

In the same field of endeavor, Hsu et al. disclose the claimed computing device, wherein the computing device is a gateway (column 6, line 56 through column 7, line 9 which disclose that the proxy gateway server 20 selectively controls access by the digital telephone 16 to additional servers via a packet switched network and based on the validation of security information supplied by the digital telephone).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to use a gateway as a computing device, as taught by Hsu et al., in the computing device of Walker et al., so as to provide a secure remote session.

Claim 83 is rejected under 35 U.S.C. 103(a) as being unpatentable over **Walker et al. (U.S. Patent Publication # 6,244,957 B1)** in view of **Wright et al. (U.S. Patent Publication # 7,089,508 B1)**.

Consider **claim 83**, and as it applies to **claim 66 above**, Walker et al. further disclose the claimed computing device, wherein the computing device is configured to facilitate a session lock at the remotely located computing device (Fig. 8A, steps 510-550 wherein in step 510 a remote player inserts the player tracking card 312 into the card reader 310 (see Fig. 2); the player identity information is transmitted by the slot machine to the slot server 4, which authenticates the information and creates a secure session with the player; furthermore, in step 550, the remote player is prompted to enter the player parameter selections; column 8, lines 10-33 disclose that the player parameter selections include both play options and limiting criteria of play, wherein the limiting criteria include: (slot machine) lock start time, lock end time, etc., the lock start time corresponding to a lock session signal for locking a secure communications session upon an occurrence of a predetermined event (lock start time), the lock session signal configured to restrict access to the communications session until the computing device receives an unlock session signal from the remotely located computing device; column 9, lines 1-6 disclose the same details, further disclosing that the locking data is a signal that prevents the slot machine 2 from providing access to other players unless automated play is terminated by the player who initiated it).

However, Walker et al. do not specifically disclose that the computing device is configured to facilitate a local lock at the computing device.

In the same field of endeavor, Wright disclose the claimed computing device, wherein the computing device is configured to facilitate a local lock at the computing device (abstract that discloses a method for preventing the activation of a screen saver for locking user access to a computer while a user is near the computer; column 1, lines 12-38 disclose an office personal computer, for use by a plurality of users, that uses the screen saver lock access to the computer after a specified period of keyboard or mouse inactivity; further disclosing that authorized users may gain access to the locked local computer by entering their userid and the common password).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to configure the computing device to facilitate a local lock at the computing device, as taught by Wright, in the computing device of Walker et al., so as to provide a secure computing environment for a local shared computing device.

Response to Arguments

The applicants have presented no arguments, only amended claims, which the examiner has rejected based on the new prior art (Walker et al.).

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any response to this Office Action should be **faxed to (571) 273-8300 or mailed to:**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Art Unit: 2443

Hand-delivered responses should be brought to

Customer Service Window
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Any inquiry concerning this communication or earlier communications from the

Art Unit: 2443

Examiner should be directed to Kishin G. Belani whose telephone number is (571) 270-1768. The Examiner can normally be reached on Monday-Friday from 6:00 am to 5:00 pm.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Tonia Dollinger can be reached on (571) 272-4170. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free) or 703-305-3028.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist/customer service whose telephone number is (571) 272-2600.

/K. G. B./
Examiner, Art Unit 2443

March 5, 2009

/George C Neurauter, Jr./

Primary Examiner, Art Unit 2443